




Institute of  
Medicinal Plants

## Journal of Medicinal Plants

Journal homepage: [www.jmp.ir](http://www.jmp.ir)



### Review Article

## Suggested herbal remedies effective on polycystic ovarian syndrome from the viewpoint of Persian medicine

Najmeh Dehparvar<sup>1</sup>, Fatemeh Alijaniha<sup>2,1</sup>, Seyyed Ali Mozaffarpur<sup>3</sup>, Amir Niasari-Naslaji<sup>4</sup>, Zahra Bahaedin<sup>2,1</sup>, Ahia Garshasbi<sup>5</sup>, Mohammad Gholami-Fesharaki<sup>6</sup>, Mohsen Naseri<sup>2,1,\*</sup>

<sup>1</sup> Department of Traditional Persian Medicine, Faculty of Medicine, Shahed University, Tehran, Iran

<sup>2</sup> Traditional Medicine Clinical Trial Research Center, Shahed University, Tehran, Iran

<sup>3</sup> Traditional Medicine and History of Medical Sciences Research Center, Health Research Institute, Babol University of Medical Sciences, Babol, Iran

<sup>4</sup> Department of Theriogenology, Faculty of Veterinary Medicine, University of Tehran, Tehran, Iran

<sup>5</sup> Obstetrics and Gynecology Department, Medical School, Shahed University, Tehran, Iran

<sup>6</sup> Department of Biostatistics, Faculty of Medicine, Tarbiat Modares University, Tehran, Iran

### ARTICLE INFO

#### Keywords:

Drug discovery  
Persian medicine  
Polycystic ovarian syndrome  
Reverse pharmacology  
Traditional medicine

### ABSTRACT

**Background:** According to the reverse pharmacological method, traditional medicine has a good source of information for discovering new drug candidates. Polycystic ovarian syndrome (PCOS) is the most common cause of endocrine disorder and infertility among women of reproductive age. This syndrome is commonly treated by oral contraceptive pills; however, it could be associated with side effects. **Objective:** The purpose of this study was to identify and prioritize medicinal plants proposed by Persian medicine (PM) for the treatment of PCOS. **Methods:** The first step was to find out the most relevant keywords to the symptoms of PCOS among five authentic PM manuscripts because there was no medical term called PCOS in PM texts. According to those keywords, all materia medica that was described in the selected books were recorded. Each materia medica received scores based on specific criteria. The scores were used to prioritize medicaments. **Results:** *Ferula assa-foetida* L., *Tanacetum parthenium* L., *Lycium barbarum*, *Cymbopogon schoenanthus* L., *Lepidium sativum* L. and *Marrubium vulgare* were six top materia medica identified in this study. **Conclusion:** Identification of closely related terminology for PCOS in traditional medical texts and prioritization of herbal remedies could be a sound approach to discover new drugs. Accordingly, *Ferula assa-foetida* L. with the highest score was considered the best candidate for the treatment of PCOS in PM.

**Abbreviations:** PCOS, Polycystic ovarian syndrome; PM, Persian medicine

\*Corresponding author: [naseri@shahed.ac.ir](mailto:naseri@shahed.ac.ir)

doi: [10.52547/jmp.21.83.1](https://doi.org/10.52547/jmp.21.83.1)

Received 26 July 2022; Received in revised form 19 September 2022; Accepted 8 October 2022

© 2020. Open access. This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (<https://creativecommons.org/licenses/by-nc/4.0/>)

## 1. Introduction

The discovery of new drugs is a time-consuming and costly process [1]. The pharmaceutical industry in process of discovering drugs is facing important challenges [2]. Reverse pharmacology is a rigorous approach to integrate experiential observation and documented experiences to make and formulate drugs [3], which offers platforms for new herbal formulations [2]. Also, traditional medicine is a proper source for finding novel agents to treat chronic diseases [4]. In this approach, herbs can be used for discovering new drug candidates [5].

Persian medicine (PM) is a medical culture that dates back to about 10000 years ago [6] and it has the potential for solving common medical problems such as the pain of knee osteoarthritis, allergic rhinitis symptoms, constipation, atopic dermatitis and gynecologic problems [7-11]. Moreover, PM methods of treatment is associated with very few side effects [12]. In PM references, different choices were proposed for each disease. To achieve the best choice, prioritization is important. Some methods have been introduced to rank these choices based on PM principles [13-15].

Polycystic ovarian syndrome (PCOS), with a prevalence of 6 to 15 % [16, 17], is the most common cause of endocrine disorder and infertility among childbearing-aged women [16, 18]. PCOS could be identified by the polycystic figure of ovaries in sonography, chronic anovulatory status, hyperandrogenism [16] and commonly is related to obesity [16, 19-22]. PCOS patients may face some complications like uterine dysfunctional bleeding or endometrial cancer [16]. Oral contraceptive pills are common treatment for PCOS [23, 24] which are accompanied by side

effects such as decreasing insulin sensitivity or increasing the risk of cardiovascular disease [25].

PM references introduced various material medicas for managing PCOS which may open a new horizon for its treatment. This study intends to rank proposed material medicas in PM resources to find suitable candidates for PCOS treatment.

## 2. Methods

This study focused on five authentic PM references documented during 9-18 centuries AD including *Al-havi fi al-tebb* (Rhazes, 865-925 AD) [26], *Al-Qanon fi al-Tibb* (Canon of medicine; Avicenna, 980-1037 AD) [27], *Aghraz al-tebbiah va aJl-mabahas al-alaaeah* (Jorjani, 1042-1136 AD) [28], *Tohfa al-momenin* (Tonekaboni, 1679) [29] and *Makhzan al adviyeh* (storehouse of medicaments; Aghili Shirazi, 1689-1791 AD) [30].

To find out the most suitable herbal remedies for the treatment of PCOS, the following steps were taken, based on a previous recommendation [13].

### 2.1. Subjects matching and finding keywords

The main observation during sonography of patients with PCOS is the enlargement of ovaries and the appearance of cysts [16]. However, during 800-1800 AD, not only such diagnostic facilities were not available but also the term PCOS was not quoted in PM texts. Therefore, the first step in searching the PM references to find the most appropriate medications for PCOS was to search the most relevant keywords that match the main symptoms of this syndrome and to select the appropriate expressions in PM resources.

### 2.2. Searching in PM references

According to the keywords matching the symptoms of this syndrome found in the previous step, all remedies were searched among those five PM references.

### 2.3. Scoring material medicas

Regarding the description of those PM references, each material medica got a special score. This description included the following: the effect of material medica on swellings similar to the cysts of ovaries in PCOS, the tissue affinity of material medica, the author's emphasis on materia medica's efficacy and the effect of material medica on stimulation of menstruation.

### 2.4. Summing up and prioritizing

The scores of each materia medica in all five mentioned books were summed up and the herbal remedies with the highest score were prioritized.

## 3. Results

### 3.1. Subject matching and finding keywords

In PM references, the most relevant keywords to this syndrome were: "*oram\_e tokhmdan*" (swelling of ovaries), "*oram\_e rahem*" (swelling of uterus), "*oram\_e bateni*" (swelling of internal organs), "*oram\_e rakhv*" (loose swellings).

Also according to some menstruation cycle disorders present in PCOS including amenorrhea and oligomenorrhea, the keyword of "*moder\_e tamth*" (menstruation stimulant) was chosen too.

### 3.2. Searching in PM references

Keywords were searched in PM references. Finally, 123 materia medicas were found to be effective on polycystic ovaries and 244 materia medicas were found to be effective on menstruation disorders of PCOS. These herbal medicines had commons.

For the next step, for each medicament all data of those 5 books which were related to keywords were collected (Table 1).

### 3.3. Scoring material medicas

Materia medicas were scored based on the following descriptions in PM references:

The extent of effectiveness of every medicament on polycystic ovaries according to the type of author's emphasis on that material medica, the location of tissue effect of remedy, the effect of remedy on swellings similar to the PCOS's cysts according to PM references and the level of its effect on stimulation of menstruation.

For example, Author's use of the words "excellent" or "great" got more scores than "good" or "beneficial". Also being effective on the ovarian or uterine swelling got more scores than being effective on internal swelling. Or being effective on "loose swelling" was more valuable than being effective on "swelling".

### 3.4. Summing up and prioritizing

Points were collected and materia medicas were prioritized (Table 2). Among those medicinal herbs that were searched, 18 of them with the highest score may be the best choices for treatment of PCOS and *Ferula assa-foetida* L. with the highest score can be used in future clinical trials as the first choice.

**Table 1.** An example of scoring system for materia medicas (ex. *Commiphora mukul*) to treat PCOS according to PM references

| Effect on swelling (original text) | Effect on swelling                   | Points  | Effect on menstruation (original text) | Effect on menstruation | Points | Persian medicine reference | Sum of points |
|------------------------------------|--------------------------------------|---------|--|------------------------|--------|----------------------------|---------------|
| نافع للاورام الباطنه               | (Useful) for (internal) swelling     | (1)+(2) | يدراطمث                                | Menstruation stimulant | 1      | <i>Qanon fi al-Teb</i>     | 13            |
| مفيد جهت اورام باطنی               | (Beneficial) for (internal) swelling | (1)+(2) | مدر حیض                                | Menstruation stimulant | 1      | <i>Makhzan al adviyeh</i>  |               |
| -                                  | -                                    | 0       | -                                      | Menstruation stimulant | 1      | <i>Tohfa al-momenin</i>    |               |
| -                                  | -                                    | 0       | -                                      | -                      | 0      | <i>Aghraz al-tebia</i>     |               |
| محلل اورام داخلی                   | (Dissolvent) of (internal) swelling  | (1)+(2) | خاصته انزال الحيض                      | Menstruation stimulant | 1      | <i>Al-havi fi al-teb</i>   |               |

**Table 2.** Prioritization of effective remedies to treat PCOS according to PM scoring system

| No. | Scientific Name (main part)                 | Common Name       | Traditional Name | Family               | Part                   | Score |
|-----|---|-------------------|------------------|----------------------|------------------------|-------|
| 1   | <i>Ferula assa-foetida</i> L.               | Asafetida         | Anghūzeh         | <i>Apiaceae</i>      | latex (oleo-gum resin) | 25    |
| 2   | <i>Tanacetum parthenium</i> (L.) Sch.Bip.   | Feverfew          | Oghhovān         | <i>Asteraceae</i>    | flower                 | 18    |
| 2   | <i>Lycium barbarum</i> L.                   | Chinese wolfberry | Hozoz            | <i>Solanaceae</i>    | leaf and seed          | 18    |
| 3   | <i>Cymbopogon schoenanthus</i> (L.) Spreng. | Lemongrass        | Ezkher           | <i>Poaceae</i>       | root and pollen        | 17    |
| 3   | <i>Lepidium sativum</i> L.                  | Garden cress      | Horf             | <i>Brassicaceae</i>  | seed                   | 17    |
| 3   | <i>Marrubium vulgare</i> L.                 | Marrubium         | Farāsion         | <i>Lamiaceae</i>     | leaf                   | 17    |
| 4   | <i>Neolitsea cassia</i> (L.) Kosterm.       | Chinese cinnamon  | Salikheh         | <i>Lauraceae</i>     | bark                   | 16    |
| 5   | <i>Asphodelus ramosus</i> L.                | Asphodelus        | Khonnasā         | <i>Asphodelaceae</i> | root                   | 14    |

**Table 2.** Prioritization of effective remedies to treat PCOS according to PM scoring system (Continued)

| No. | Scientific Name (main part)                           | Common Name                | Traditional Name  | Family                | Part  | Score |
|-----|---|----------------------------|-------------------|-----------------------|-------|-------|
| 5   | <i>Calystegia sepium</i> (L.)<br>R.Br.                | Hedge<br>bindweed          | Leblāb            | <i>Convolvulaceae</i> | leaf  | 14    |
| 6   | <i>Allium sativum</i> L.                              | Garlic                     | Soom              | <i>Amaryllidaceae</i> | bulb  | 13    |
| 6   | <i>Levisticum officinale</i><br>W.D.J.Koch            | Lovage                     | Anjedān           | <i>Apiaceae</i>       | seed  | 13    |
| 6   | <i>Commiphora mukul</i><br>(Hook. ex Stocks)<br>Engl. | Indian<br>bdellium-tree    | Moghl             | <i>Burseraceae</i>    | gum   | 13    |
| 7   | <i>Phyla nodiflora</i> (L.)<br>Greene                 | Turkey tangle<br>frogfruit | Eslanj            | <i>Verbenaceae</i>    | leaf  | 12    |
| 7   | <i>Cornus mas</i> L.                                  | Cornelian<br>cherry        | Zoghāl            | <i>Cornaceae</i>      | fruit | 12    |
| 8   | <i>Acorus calamus</i> L.                              | sweet flag                 | Ghasab. Alzarirah | <i>Acoraceae</i>      | seed  | 11    |
| 8   | <i>Lupinus angustifolius</i><br>L.                    | Lupine                     | Tormes            | <i>Leguminosae</i>    | seed  | 11    |
| 8   | <i>Zygophyllum fabago</i> L.                          | Syrian bean-<br>caper      | Amdoriān          | <i>Zygophyllaceae</i> | leaf  | 11    |
| 8   | <i>Allium ampeloprasum</i><br>L.                      | Wild leek                  | Korrās            | <i>Amaryllidaceae</i> | leaf  | 11    |

#### 4. Discussion

*Ferula assa-foetida* L. is an endemic plant of Iran from which an oleoresin gum is obtained [31]. Its main active component is ferulic acid [32] and has anti-inflammatory and antioxidant effects [33]. A closer look at *Ferula assa-foetida* L. reveals a variety of health benefits that are important in the management and treatment of PCOS. Controlling obesity [34], anti-hyperglycemic effect [35], being anti-oxidant, anti-cancer and lowering blood pressure are some properties that may assist to treat PCOS [36]. Importantly, it does not have side effects in therapeutic doses [37].

According to PM references, *Ferula assa-foetida* L. is useful to treat swellings [30]. In PM references “swelling” is the most appropriate term for “cyst”. Accordingly, *Ferula assa-foetida* L. can be considered as the treatment for internal and external swellings [27]. *Ferula assa-foetida* L. can stimulate the menstruation cycle [38] and reduce menstrual pains [38, 39]. It has been shown that *Ferula assa-foetida* L. can decrease the number of ovarian follicles in young girls with PCOS [40].

A review study revealed that Apiace is one of the families in which the components affecting PCOS have the highest frequency [41]. The selection of *Ferula assa-foetida* L. in our study

is in line with those effects reported for Apiace. The second material medica of choice to treat PCOS was *Tanacetum parthenium* L. It can reduce the plasma concentrations of testosterone [42] and has anti-inflammatory [43] and antioxidant properties [44]. The essential oil of remedy *Cymbopogon schoenanthus* L., that have the third rank in the prioritization of our study, has an anti-inflammatory effect [45]. As there are some documents on the relationship between PCOS and chronic inflammation [46], *Cymbopogon schoenanthus* L. like *Ferula assafoetida* L. and *Tanacetum parthenium* L. can be effective in treating PCOS. In PCOS, increased oxidative stress is closely linked with inflammation which in turn could stimulate ovarian androgen production [47]. So *Cymbopogon schoenanthus* L. with antioxidant activity, [48] like the other two mentioned herbal remedies, can be a good candidate for the treatment of PCOS.

There are various studies about the effects of different medicinal plants on this syndrome [49-51], but the selected plants in these studies have mostly been conducted as a random screening method. Therefore, we conducted this study to achieve a novel method. Also in some studies, just being effective on one symptom of this syndrome such as menstruation problems have been considered [52] and as we know PCOS classically is accompanied with other symptoms such as ovarian cysts too. So in this study, it was considered as well.

It seems that the prioritization of drugs according to PM references can be an important step in the discovery of new drugs. A clear example of such methodology is the prioritization of effective materia medicas for the treatment of epilepsy and palpitation [14, 53]. Meanwhile, in some research like this study, herbal remedy prioritization is facing more challenges because of the lack of equivalent terms for diseases like PCOS in PM references [15]. Therefore, it is necessary to match those symptoms with reports in PM references to find the most relevant keywords. As a recommendation, it is suggested to design a standard method for these kinds of research to find the best drugs according to traditional medicine.

## 5. Conclusion

It seems that the proposed prioritizing method for finding materia medicas according to PM, can be a good way to discover novel effective medicines. Also according to evidence of studies that show the effectiveness of selected remedies of this study for treatment of the symptoms of PCOS, it seems that these medicinal plants may be good candidates for further studies in this field.

## Limitation

The hyperandrogenism manifestations such as hirsutism were ignored in this study due to the lack of appropriate oral drugs for those manifestations in PM.

### Author contributions

M.N. designed the study; N.D. collected and interpreted the data; F.A. edited the initial version of the manuscript; S.A.M. edited the second version of the manuscript; A.N.N. edited the final version of the manuscript; Z.B. contributed in the preparation of the initial draft

### References

1. Tobinick EL. The value of drug repositioning in the current pharmaceutical market. *Drug News Perspect.* 2009; 22: 119-25.
2. Patwardhan B and Vaidya AD. Natural products drug discovery: accelerating the clinical candidate development using reverse pharmacology approaches. *Indian J Exp Biol.* 2010; 48: 220-7.
3. Patwardhan B and Mashelkar RA. Traditional medicine-inspired approaches to drug discovery: can Ayurveda show the way forward? *Drug Discov Today.* 2009; 14: 804-11. doi: 10.1016/j.drudis.2009.05.009.
4. B Aggarwal B, Prasad S, Reuter S, Kannappan R, R Yadav V, Park B, Hye Kim J, C Gupta S, Phromnoi K, Sundaram C and Prasad S. Identification of novel anti-inflammatory agents from Ayurvedic medicine for prevention of chronic diseases: “reverse pharmacology” and “bedside to bench” approach. *Curr Drug Targets.* 2011; 12: 1595-653. doi: 10.2174/138945011798109464.
5. Surh YJ. Reverse pharmacology applicable for botanical drug development—inspiration from the legacy of traditional wisdom. *J. Tradit. Complement Med.* 2011; 1:5. doi: 10.1016/s2225-4110(16)30051-7.
6. Ghaffari F, Naseri M, Jafari Hajati R and et al. a pioneer in contribution to trials in medical

of the manuscript, F.GH., A.G. and M.GH.F. contributed in the preparation of the manuscript; all authors approved the final version of the manuscript.

### Conflicts of interest

Authors state no conflict of interest.

7. Soltanian AR, Mehdibarzi D, Faghihzadeh S, Naseri M and Gerami A. Mixture of *Arnebia euchroma* and *Matricaria chamomilla* (Marhame-Mafasel) for pain relief of osteoarthritis of the knee—a two-treatment, two-period crossover trial. *Arch. Med. Sci: AMS.* 2010; 6:950.
8. Hajiheydari MR, Yarmohammadi ME, Izadi P, Jafari F, Emadi F, Emaratkar E, Abtahi SH, Zargarani A and Naseri M. Effect of *Nepeta bracteata Benth.* on allergic rhinitis symptoms: A randomized double-blind clinical trial. *J. Res. Med. Sci.* 2017; 22. doi: 10.4103/jrms.JRMS\_316\_17.
9. Esmailidooki MR, Mozaffarpur SA, Mirzapour M, Shirafkan H, Kamalinejad M and Bijani A. Comparison between the *cassia fistulas* emulsion with polyethylene glycol (peg4000) in the pediatric functional constipation: a randomized clinical trial. *Iran Red. Crescent. Med. J.* 2016; 18. doi: 10.5812/ircmj.33998.
10. Naseri V, Chavoshzadeh Z, Mizani A, Daneshfard B, Ghaffari F, Abbas-Mohammadi M, Gachkar L, Kamalinejad M, Jafari Hajati R, Bahaeddin Z and Faghihzadeh S. Effect of topical marshmallow (*Althaea officinalis*) on


- atopic dermatitis in children: A pilot double-blind active-controlled clinical trial of an in-silico-analyzed phytomedicine. *Phytother. Res.* 2021; 35(3): 1389-98. doi: 10.1002/ptr.6899.
11. Mokaberinejad R, Akhtari E, Tansaz M, Bioos S, Kamalinejad M, Zafarghandi N, Ghobadi A, Sohrabvand F and Akhbari A. Effect of *mentha longifolia* on fsh serum level in premature ovarian failure. *Open J. Obstet. Gynecol.* 2014; 4(07): 356. doi: 10.4236/ojog.2014.47053.
12. Shahabi S, Hassan ZM, Mahdavi M, Dezfouli M, Rahvar MT, Naseri M, Jazani NH and Khalkhali HR. Hot and Cold natures and some parameters of neuroendocrine and immune systems in traditional Iranian medicine: a preliminary study. *J. Altern. Complement. Med.* 2008; 14: 147-56. doi: 10.1089/acm.2007.0693.
13. Mozaffarpur SA, Naseri M, Kamalinejad M, Shams MA, Memariani Z, Moeini R, Gorji N, Moradi Farahani A and Shirafkan H. Nine steps to discover new medicines from traditional sources: the example of Persian medicine. *J. Altern. Complement. Med.* 2020; 26: 365-8. doi: 10.1089/acm.2019.0377.
14. Ghaffari F, Alijaniha F and Fallahi F. Single remedies for Khafaghan in Iranian traditional medicine. *J. Islam. Iran. Tradit. Med.* 2013; 4: 1-1.
15. Khodaie SA, Kamalinejad M, Emadi F and Naseri M. Prioritization of effective Materia Medica on diabetic foot ulcer in Persian medicine. *Daneshvar Med: Basic Clin. Res. J.* 2020; 25: 45-54.
16. Gibbs RS, Karlan BY, Haney AF and Nygaard IE. Editors. Danforth's obstetrics and gynecology. 10<sup>th</sup> ed., Lippincott Williams & Wilkins; 2008.
17. Bozdag G, Mumusoglu S, Zengin D, Karabulut E and Yildiz BO. The prevalence and phenotypic features of polycystic ovary syndrome: a systematic review and meta-analysis. *Hum. Reprod.* 2016; 31: 2841-55. doi: 10.1093/humrep/dew218.
18. Liu Y, Li J, Yan Z, Liu D, Ma J and Tong N. Improvement of insulin sensitivity increases pregnancy rate in infertile PCOS women: a systemic review. *Front. Endocrinol.* 2021; 12: 317. doi: 10.3389/fendo.2021.65.
19. Rosenfield RL. Identifying children at risk for polycystic ovary syndrome. *J. Clin. Endocrinol. Metab.* 2007; 92: 787-96. doi: 10.1210/jc.2006-2012.
20. Franks S, Stark J and Hardy K. Follicle dynamics and anovulation in polycystic ovary syndrome. *Hum. Reprod. Update.* 2008; 14: 367-78. doi: 10.1093/humupd/dmn015.
21. Lim SS, Norman RJ, Davies MJ and Moran LJ. The effect of obesity on polycystic ovary syndrome: a systematic review and meta-analysis. *Obes. Rev.* 2013; 14: 95-109. doi: 10.1111/j.1467-789X.2012.01053.x.
22. Jahromi BN, Dabaghmanesh MH, Parsanezhad ME and Fatehpour F. Association of leptin and insulin resistance in PCOS: A case-controlled study. *Int. J. Reprod. Biomed.* 2017; 15: 423.
23. Trikudanathan S. Polycystic ovarian syndrome. *Med. Clin.* 2015; 99: 221-35. doi: 10.1016/j.mcna.2014.09.003
24. Legro RS, Arslanian SA, Ehrmann DA, Hoeger KM, Murad MH, Pasquali R and Welt CK. Diagnosis and treatment of polycystic ovary syndrome: An Endocrine Society clinical practice guideline. *J. Clin. Endocrinol. Metab.* 2013; 98: 4565-92. doi: 10.1210/jc.2013-2350.



25. Diamanti-Kandarakis E, Baillargeon JP, Iuorno MJ, Jakubowicz DJ and Nestler JE. A modern medical quandary: polycystic ovary syndrome, insulin resistance, and oral contraceptive pills. *J. Clin. Endocrinol. Metab.* 2003; 88: 1927-32. doi: 10.1210/jc.2002-021528.
26. Rhazes, Al-havi fi al-tebb. Lebanon: Daar Ehya Al-toraath Publication; 2001. [In Arabic]
27. Avicenna. Al-Qanon fi al-Tibb (The *Canon of Medicine*). Lebanon: Alamy Le al-Matbooaat Institute; 2005. [In Arabic]
28. Jorjani E. Aghraz al-tebbiah va al-mabahe al-alaaeah. Tehran: Farhang Iran Publication; 1966. [In Persian]
29. Tonekaboni MM. Tohfa al-momenin. Qom: Noor-e-vahy Publication; 2011. [In Persian]
30. Aghili Shirazi MH. Makhzan al adviyeh (store house of medicaments). Tehran: TUMS; 2009. [In Persian]
31. Iranshahy M and Iranshahi M. Traditional uses, phytochemistry and pharmacology of asafoetida (*Ferula assa-foetida* oleo-gum-resin)—A review. *J. Ethnopharmacol.* 2011; 134: 1-0. doi: 10.1016/j.jep.2010.11.067.
32. Niazmand R and Razavizadeh BM. *Ferula asafoetida*: chemical composition, thermal behavior, antioxidant and antimicrobial activities of leaf and gum hydroalcoholic extracts. *J. Food Sci. Technol.* 2021; 58: 2148-59. doi: 10.1007/s13197-020-04724-8.
33. Ou S and Kwok KC. Ferulic acid: pharmaceutical functions, preparation and applications in foods. *J. Sci. Food Agric.* 2004; 84: 1261-9. doi: 10.1002/jsfa.1873.
34. Azizian H, Rezvani ME, Esmaeilidehaj M and Bagheri SM. Antiobesity, fat lowering and liver steatosis protective effects of *Ferula asafoetida* gum in type 2 diabetic rats: possible involvement of leptin. *Iran. J. Diabetes. Obes.* 2012; 4: 120-6.
35. Iranshahi M and Alizadeh M. Antihyperglycemic effect of asafoetida (*Ferula assafoetida* oleo-gum-resin) in streptozotocin-induced diabetic rats. *World Appl. Sci. J.* 2012; 17: 157-62.
36. Amalraj A and Gopi S. Biological activities and medicinal properties of Asafoetida: A review. *J. Tradit. Complement. Med.* 2017; 7: 347-59. doi: 10.1016/j.jtcme.2016.11.004.
37. Gruenwald J, Brendler T and Jacnicke C. PDR for Herbal Medicine. Medical Economics Company; 2000.
38. Ibn-e-Nafis A. Al-shamel fi al-sanaah al-tebbiah. Tehran: Tehran University of Medical Sciences; 2008. [In Arabic]
39. Mahendra P and Bisht S. *Ferula asafoetida*: Traditional uses and pharmacological activity. *Pharmacogn Rev.* 2012; 6: 141. doi: 10.4103/0973-7847.99948.
40. Ghavi F, Shakeri F and Taebi M. Effects of *Ferula assa-foetida* on clinical, hormonal and ultrasound parameters in young girls with polycystic ovary syndrome: a randomized, placebo controlled, triple-blinded [Internet]. *Res. Sq.* [Preprint]. 2022 [cited 2022 Feb 7]: 13 p. Available from: doi: 10.21203/rs.3.rs-117187/v2.
41. Moini Jazani A, Hamdi K, Tansaz M, Nazemiyeh H, Sadeghi Bazargani H, Fazljou SM and Nasimi Doost Azgomi R. Herbal medicine for oligomenorrhea and amenorrhea: a systematic review of ancient and conventional medicine. *Biomed. Res. Int.* 2018. doi: 10.1155/2018/3052768.

42. Esmaeili A and Amiri H. The *in vitro* antioxidant and antibacterial activities of *Tanacetum pinnatum boiss.* grown in Iran. *Bulgarian Chem. Com.* 2011; 43: 267-71.
43. Soleymani M, Ramezani M and Siadat F. The effects of *Tanacetum parthenium* hydroalcoholic extract on the sex hormones of NMRI mouse. *J. Anim. Biol.* 2016; 8: 39-45. Available from: <https://www.sid.ir/en/journal/ViewPaper.aspx?id=511904>. [In Persian]
44. Pareek A, Suthar M, Rathore GS and Bansal V. Feverfew (*Tanacetum parthenium* L.): A systematic review. *Pharmacogn Rev.* 2011; 5: 103. doi: 10.4103/0973-7847.79105.
45. Golestaneh Talaei M and Jahandideh M. Anti-inflammatory activity of *Cymbopogon schoenanthus* essential oil in animal models. *Res. J. Pharmacogn.* 2019; 6: 61-8. doi: 10.22127/rjp.2019.89466.
46. Rudnicka E, Suchta K, Grymowicz M, Calik-Ksepka A, Smolarczyk K, Duszewska AM, Smolarczyk R and Meczekalski B. Chronic low grade inflammation in pathogenesis of PCOS. *Int. J. Mol. Sci.* 2021; 22: 3789. doi: 10.3390/ijms22073789.
47. Artimani T, Karimi J, Mehdizadeh M, Yavangi M, Khanlarzadeh E, Ghorbani M, Asadi S and Kheiripour N. Evaluation of pro-oxidant-antioxidant balance (PAB) and its association with inflammatory cytokines in polycystic ovary syndrome (PCOS). *Gynecol Endocrinol.* 2018; 34: 148-52. doi: 10.1080/09513590.2017.1371691.
48. Khadri A, Neffati M, Smiti S, Falé P, Lino AR, Serralheiro ML and Araújo ME. Antioxidant, antiacetylcholinesterase and antimicrobial activities of *Cymbopogon schoenanthus* L. *Spreng* (lemon grass) from Tunisia. *LWT- Food Sci. Technol.* 2010; 43: 331-6. doi: 10.1016/j.lwt.2009.08.004.
49. Jalilian N, Modarresi M, Rezaie M, Ghaderi L and Bozorgmanesh M. Phytotherapeutic management of polycystic ovary syndrome: role of aerial parts of wood betony (*Stachys lavandulifolia*). *Phytother. Res.* 2013; 27: 1708-13. doi: 10.1002/ptr.4921
50. Hajimonfarednejad M, Nimrouzi M, Heydari M, Zarshenas MM, Raei MJ and Jahromi BN. Insulin resistance improvement by cinnamon powder in polycystic ovary syndrome: A randomized double-blind placebo controlled clinical trial. *Phytother. Res.* 2018; 32: 276-83. doi: 10.1002/ptr.5970.
51. Grant P. Spearmint herbal tea has significant anti-androgen effects in polycystic ovarian syndrome. a randomized controlled trial. *Phytother. Res.* 2010; 24:186-8. doi: 10.1002/ptr.2900.
52. Hosseinkhani A, Asadi N, Pasalar M and Zarshenas MM. Traditional Persian medicine and management of metabolic dysfunction in polycystic ovary syndrome. *J. Tradit. Complement Med.* 2018; 8: 17-23.
53. Sahranavard S, Ghafari S and Mosaddegh M. Medicinal plants used in Iranian traditional medicine to treat epilepsy. *Seizure.* 2014; 23: 328-32. doi: 10.1016/j.seizure.2014.01.013.

How to cite this article: Dehparvar N, Alijaniha F, Mozaffarpur SA, Niasari-Naslaji A, Bahaedin Z, Garshasbi A, Gholami-Fesharaki M, Mohsen Naseri. Suggested herbal remedies effective on polycystic ovarian syndrome from the viewpoint of Persian medicine. *Journal of Medicinal Plants* 2022; 21(83): 1-10. doi: 10.52547/jmp.21.83.1



## فصلنامه گیاهان دارویی

Journal homepage: [www.jmp.ir](http://www.jmp.ir)

مقاله مروری

## داروهای گیاهی پیشنهادی موثر بر سندرم تخمدان پلی کیستیک از دیدگاه طب ایرانی

نجمه ده پرور<sup>۱</sup>، فاطمه علیجانپناه<sup>۲</sup>، سید علی مظفرپور<sup>۳</sup>، امیر نیاسری نسلجی<sup>۴</sup>، زهرا بهاءالدین<sup>۵</sup>، احیاء گرشاسبی<sup>۵</sup>، محمد غلامی فشارکی<sup>۶</sup>، محسن ناصری<sup>۶\*</sup>

<sup>۱</sup> گروه طب سنتی ایران، دانشکده پزشکی، دانشگاه شاهد، تهران، ایران

<sup>۲</sup> مرکز تحقیقات کارآزمایی بالینی طب سنتی، دانشگاه شاهد، تهران، ایران

<sup>۳</sup> مرکز تحقیقات طب سنتی و تاریخ پزشکی، دانشگاه علوم پزشکی بابل، بابل، ایران

<sup>۴</sup> گروه مامایی و بیماری‌های تولید مثل، دانشکده دامپزشکی، دانشگاه تهران، تهران، ایران

<sup>۵</sup> گروه زنان و زایمان، دانشکده پزشکی، دانشگاه شاهد، تهران، ایران

<sup>۶</sup> گروه آمار زیستی، دانشکده پزشکی، دانشگاه تربیت مدرس، تهران، ایران

## چکیده

## اطلاعات مقاله

گل‌واژگان:

تخمدان پلی کیستیک  
داروشناسی معکوس  
طب ایرانی  
طب سنتی  
کشف دارو

**مقدمه:** بر اساس روش داروشناسی معکوس، طب سنتی منبع اطلاعاتی خوبی برای کشف کاندیداهای دارویی جدید است. سندرم تخمدان پلی کیستیک (PCOS)، شایع‌ترین علت اختلال غدد درون ریز و ناباروری در بین زنان سنین باروری است. این سندرم معمولاً با قرص‌های ضد بارداری خوراکی درمان می‌شود که با این حال، خود می‌تواند با عوارض جانبی همراه باشند. **هدف:** هدف از این مطالعه شناسایی و اولویت بندی گیاهان دارویی پیشنهادی طب سنتی ایرانی برای درمان PCOS است. **روش بررسی:** اولین قدم، یافتن مرتبط‌ترین کلمات کلیدی با علائم PCOS در بین پنج نسخه خطی معتبر طب ایرانی بود. زیرا هیچ اصطلاح پزشکی با عنوان سندرم تخمدان پلی کیستیک در متون طب ایرانی وجود نداشت. با توجه به این کلیدواژه‌ها، تمام مواردی که در کتاب‌های منتخب شرح داده شده بودند، ثبت شد. هر گیاه دارویی بر اساس معیارهای خاصی امتیاز گرفت. از مجموع امتیازات برای اولویت بندی داروها استفاده شد. **نتایج:** آنغوزه، اقحوان، حضض، اذخر، حُرف، فراسیون، شش ماده دارویی برتر شناسایی شده در این مطالعه بودند. **نتیجه گیری:** شناسایی اصطلاحات مرتبط نزدیک برای PCOS در متون پزشکی سنتی و اولویت بندی داروهای گیاهی می‌تواند رویکردی مناسب برای کشف داروهای جدید باشد. بر این اساس آنغوزه با بالاترین امتیاز، به عنوان بهترین کاندیدا برای درمان PCOS در طب ایرانی در نظر گرفته شد.

مخفف‌ها: PCOS، تخمدان پلی کیستیک؛ PM، طب ایرانی

\* نویسنده مسؤول: [naseri@shahed.ac.ir](mailto:naseri@shahed.ac.ir)

تاریخ دریافت: ۴ مرداد ۱۴۰۱؛ تاریخ دریافت اصلاحات: ۲۸ شهریور ۱۴۰۱؛ تاریخ پذیرش: ۱۶ مهر ۱۴۰۱

doi: [10.52547/jmp.21.83.1](https://doi.org/10.52547/jmp.21.83.1)

© 2020. Open access. This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (<https://creativecommons.org/licenses/by-nc/4.0/>)